ROWE SCIENTIFIC PTY LTD www.rowe.com.au
Discover laboratory products at Rowe Scientific Pty Ltd

A 100% Australian owned company supplying scientific laboratories throughout Australia and overseas since 1987.

LABLIKES 25



NOVEMBER 2026

Features: Liebherr Spark Free and NEW Workplace Exposure Standards

CRYOCRYSTALLOGRAPHY: CRYOGENIC FOAM DEWAR

Manufactured from **cross linked polyethylene foam**, these dewars result in **less liquid nitrogen boil off** during filling. **Easier** and **SAFER** to handle than a traditional low profile glass dewar. With **five sizes** to choose from, **CALL US TO CHECK STOCK TODAY!**



ROWE CODE **HD0205** - 130mL Mini Size
ROWE CODE **HD0202** - 500mL Small Size
ROWE CODE **HD0198** - 800mL Standard Size
ROWE CODE **HD0206** - 1400mL Large Size
ROWE CODE **HD0203** - 2L Tall Size

AUSTRALIANS in SCIENCE



Professor Ian Constable AO

Ophthalmic Surgeon

Professor Ian Constable AO is recognised as one of the world's leading ophthalmic surgeons. He is the founder and director of the Lions Eye Institute, now the largest eye research institute in the southern hemisphere and dedicated to the investigation, prevention and cure of blinding eye disease.

Source: WA.gov.au

- ✓ One Stop Shop
- ✓ 100% Australian
- ✓ Online Ordering
- ✓ Phone Ordering
- ✓ Account Managers
- ✓ Leading Brands
- ✓ Chemicals
- ✓ Consumables
- ✓ Equipment

Certified System — Quality Endorsed Company — ISO 9001 LIC. 10372 SAI Global

DISCOVER LEADING BRANDS AT ROWE SCIENTIFIC PTY LTD

Offer pricing expires 31 Dec 2026 or until stocks last and is subject to GST.

www.rowe.com.au

Page 2 Liebherr Spark Free Range

Pages 8-10 Workplace Exposure Standards

LIEBHERR

SPARK-FREE LABORATORY SERIES

WARRANTY 5 YEAR WARRANTY

ATEX-CERTIFIED
-30°C to +16°C · Zone 22

SRTfg 1501 - *Under-Counter Refrigerator*

A compact 134L under-counter refrigerator that fits neatly beneath the lab bench. Dynamic cooling with automatic defrost keeps contents evenly chilled, and the ignition-free ATEX interior safely stores flammable substances in closed containers.

- **+2°C SafetyDevice freeze protection**
- **SmartMonitoring-ready**
- **Volt-free alarm contact**
- **ISO 6 / GMP B**

• +3 to +16°C • 153kWh/yr • 3 glass shelves (40kg) • 597 x 605 x 819mm



$3192
ROWE CODE RR0085

THE COMPLETE SPARK-FREE RANGE

SRFfg 5501
Upright Spark-Free Refrigerator
• 558L • +3 to +16°C
• R600a • ISO 4 / GMP A
• 747 x 769 x 1684mm



ROWE CODE IR0479
$4995

SFFfg 5501
Upright Spark-Free Freezer
• 499L • -9 to -30°C
• R290 • ISO 5 / GMP B
• 747 x 769 x 1684mm



ROWE CODE IF0699
$6695

SFTfg 1501
Under-Counter Freezer
• 101L • -9 to - 30°C
• SmartFrost • ISO 7 / GMP B
• 597 x 605 x 819mm



ROWE CODE RF0086
$3595

ATEX-CERTIFIED FOR SAFETY

An interior completely free of ignition sources - a must wherever combustible materials are stored:

- Certified to EU Directive 2014/34/EU (ATEX)
- Rated II 3/-G IIC T6 · Gas group IIC, Zone 22
- Safe storage of flammable & combustible substances
- +2°C SafetyDevice freeze protection (fridges)
- Visual & audible alarms + volt-free contact
- Every model in the range is ATEX-certified

WHY LIEBHERR SPARK-FREE

- Efficient natural refrigerants
- SmartMonitoring ready - cloud temperature logging
- Antimicrobial handle & easy-clean interior
- Market-leading 5 year warranty

TITRATION WITH THE BRAND TITRETTE®

- Three variable volume units available, 10/25/50mL
- Precise titration within the error limits of Class A
- Mobile and robust compared to traditional glass burettes
- Easy to move compared to automatic titrators
- Smooth low force operation
- Easy handling when switching from fill & titrate
- Titrate drop-by-drop with greater accuracy
- Simple maintenance
- Optional PC Interface allowing data transmission directly to a PC
- Factory calibration certificate supplied with each unit



ROWE CODE
DB1079

BURETTES TITRETTE - DIGITAL	PACK SIZE	ROWE CODE	PRICE
10mL with Recirculating Valve	EA	CB0394	$1813
25mL with Recirculating Valve	EA	DB1079	$1813
50mL with Recirculating Valve	EA	DB1080	$1813

*DAkkS certified options available**

BURETTES TITRETTE - DIGITAL With DAkkS Certification	PACK SIZE	ROWE CODE	PRICE
25mL with Recirculating Valve	EA	DB0323	$1990
50mL with Recirculating Valve	EA	DB0331	$1990

* please allow 6-8 weeks for delivery
* A DAkkS calibration certificate is internationally recognised to provide traceability to national standards (ISO 17025)

ASX-560 SERIES AUTOSAMPLER

A versatile autosampler designed to balance sample capacity with efficient use of valuable bench space.

Designed for AGILENT/VARIAN ICP-OES systems.

- Polymer cover, base and sample tray
- Carbon fiber arm and z-drive
- No exposed metal parts
- Flowing rinse station with on-board peristaltic pump
- 10 standards positions for 50mL vials
- Flexible sample rack configurations
- Fast, quiet operation

ROWE CODE IA0518



LABORATORY GLASSWARE	CTN SIZE	ROWE CODE	SPECIAL PRICE
LABORATORY BOTTLES AND CAPS			
250mL - Borosilicate glass with blue screw cap	EA	GB7955	$6.78
500mL - Borosilicate glass with blue screw cap	EA	GB8005	$8.40
1L - Borosilicate glass with blue screw cap	EA	GB8055	$15.20
2L - Borosilicate glass with blue screw cap	EA	GB8105	$24.97
100mL - Amber bottle with blue cap and pouring ring	EA	GB0218	$27.96
1L - Amber bottle with cap and pouring ring	EA	GB8061	$66.18
2L - Amber bottle with cap and pouring ring	EA	GB8066	$101.20
3.8L - Amber bottle with blue cap and pouring ring	EA	GB0219	$118.13
5L - Amber bottle with cap and pouring ring	EA	GB0220	$169.96
Bottle cap only, orange, GL45	10	GB0264	$11.47
Bottle cap only, green, GL45	10	GB0263	$10.92
Bottle cap only, blue, GL45	EA	GB8333	$1.49
BEAKERS			
10mL - Low form, spouted, graduated, borosilicate glass	EA	GB0597	$2.92
25mL - Low form, spouted, graduated, borosilicate glass	12	GB0515	$24.71
25mL - Low form, spouted, graduated, borosilicate glass	EA	GB1560	$5.71
25mL - Tall form, spouted, graduated, borosilicate glass	EA	GB0358	$7.55
50mL - Low form, spouted, graduated, borosilicate glass	EA	GB1660	$3.34
50mL - Low form, spouted, graduated, borosilicate glass	12	GB0516	$26.14
50mL - Tall form, spouted, graduated, borosilicate glass	EA	GB1366	$8.59
100mL - Low form, spouted, graduated, borosilicate glass	12	GB0517	$28.04
250mL - Low form, spouted with handle, graduated, borosilicate glass	EA	GB0558	$28.78
500mL - Low form, spouted with handle, graduated (to 400mL), borosilicate glass	EA	GB0577	$20.79
600mL - Low form, spouted with handle, graduated (to 500mL), borosilicate glass	EA	GB0578	$22.90
1L - Low form, spouted with handle, graduated (to 900mL), borosilicate glass	EA	GB0579	$30.55
ADAPTER EXPANSION			
Cone size 14/23, socket size 29/32	EA	GA0143	$3.93
Cone size 19/26, socket size 29/32	EA	GA0144	$4.26
Cone size 19/26, socket size 29/32	EA	GA0142	$5.02
Connector Keck Clip, green, 24/29 neck size, polypropylene	EA	GC0637	$4.53



ROWE CODE GB8055



ROWE CODE GB0220



ROWE CODE GB0577



ROWE CODE GA0144

LABORATORY GLASSWARE	CTN SIZE	ROWE CODE	SPECIAL PRICE
FLASKS			
50mL - Erlenmeyer Flask, rimmed narrow neck, borosilicate glass		GF0227	$10.23
50mL - Erlenmeyer Flask, rimmed wide neck, borosilicate glass		GF1590	$34.92
100mL - Erlenmeyer Flask, rimmed narrow neck, borosilicate glass		GF1710	$4.00
100mL Erlenmeyer Flask - B24/29 socket		GF0509	$5.78
250mL Erlenmeyer Flask - Narrow neck, heavy duty, heavy beaded rim, borosilicate glass		GF0539	$8.45
2L Erlenmeyer Flask - Wide neck, heavy duty, heavy beaded rim, borosilicate glass		GF0541	$24.88
250mL Evaporating Flask - 29/32 socket, single neck, teardrop shape		GF0475	$7.63
1L Evaporating Flask - 29/32 socket, single neck, teardrop shape		GF0499	$20.18
5mL Round Bottom Flask - 14/23 socket single neck		GF0470	$2.80
25mL Round Bottom Flask - 19/26 socket, single neck		GF0473	$3.97
50mL Round Bottom Flask - 24/29 socket, short neck		GF0530	$3.35
250mL Round Bottom Flask - 19/26 neck, borosilicate glass		GF0511	$13.58
SEPARATING FUNNELS			
100mL - Pear shaped, 19/26 neck, graduated, borosilicate glass, PTFE key stopcock and polyethylene stopper	EA	GF0621	$39.56
250mL - Pear shaped, 19/26 neck, graduated, borosilicate glass, PTFE key stopcock and polyethylene stopper	EA	GF0622	$40.18
100mL - Squibb shaped, 19/26 neck, graduated, borosilicate glass, PTFE key stopcock and polyethylene stopper	EA	GF0627	$63.61
250mL - Squibb shaped, 29/32 neck, graduated, borosilicate glass, PTFE key stopcock and polyethylene stopper	EA	GF0628	$70.96
500mL - Squibb shaped, 24/29 neck, graduated, borosilicate glass, PTFE key stopcock and polyethylene stopper	EA	GF0629	$79.06
1000mL - Squibb shaped, 29/32 neck, graduated, borosilicate glass, PTFE key stopcock and polyethylene stopper	EA	GF0630	$111.35
2000mL - Squibb shaped, 29/32 neck, graduated, borosilicate glass, PTFE key stopcock and polyethylene stopper	EA	GF0631	$114.91
WEIGHING BOTTLES			
20mL - Low form, 40mm diameter x 30mm high, ground glass stopper, borosilicate glass	EA	GB0529	$14.58
25mL - Tall form, 30mm diameter x 60mm high, ground glass stopper, borosilicate glass	EA	GB0531	$10.42
50mL - Low form, 50mm diameter x 50mm high, ground glass stopper, borosilicate glass	EA	GB0530	$23.49
60mL - Tall form, 40mm diameter x 80mm high, ground glass stopper, borosilicate glass	EA	GB0532	$11.84
CRYSTALLIZING DISH			
100mL - Without spout, flat bottom, 70mm diameter x 40mm high, borosilicate glass	EA	GD0128	$5.38
150mL - Without spout, flat bottom, 80mm diameter x 45mm high, borosilicate glass	EA	GD0129	$6.97



ROWE CODE GF1590



ROWE CODE GF0622



ROWE CODE GF0630



ROWE CODE GB0531

ProSolo Digital Water Quality Hand-Held Meter

Optical Dissolved Oxygen and Temperature Meter

a xylem brand

Product Features:

- Ergonomic hand-held for a comfortable grip
- Easy-to-read colour display and backlit keypad
- Large onboard memory with storage capacity for over 100,000 data sets
- Site ID and Data ID tag capabilities for data organisation
- Data export directly to USB flash drive (included)
- Single cable design for probe assembly lengths ranging from 1 to 100 metres
- Long-life rechargeable lithium-ion battery that is user-replaceable
  Simple and quick calibration procedures

ROWE CODE IM0438 (Without probe)



ProDigital ODO/T Probe & Cable

Assembly Features Include:

- Integral optical Dissolved Oxygen (DO), and temperature sensors that are auto-recognized by Pro series hand-helds, reducing instrument set-up time
- Rugged Optical DO sensor cap with a 2-year warranty is pre-installed on new assemblies
- Military Spec (MS) connector and a weighted, stainless steel probe guard
- Fits in a 1 inch well with cable lengths up to 100 meters
- 2-year warranty on cable, sensors, and ODO cap

ROWE CODE IM0865



ODO Sensor Cap for dissolved oxygen probe

ROWE CODE IM1393



EcoSense pH100A Meter Kit

The kit includes instrument, 1m cable and hard-sided case.

Features:

- IP67 waterproof housing
- Internal buffer recognition
- Auto or manual temperature compensation
- CE compliance
- Sensors are available as single parameter or combinations for pH or mV and temperature
- 1000 hour battery life, low battery indicator
- Electrode offset recognition
- Autolock mode holds stable readings on display
- Displays electrode efficiency
- 50 data set memory

ROWE CODE IM0409



Turbidity Standard

124 NTU - When using a ProDSS Sensor

ROWE CODE CT0637



Intelligent Digital Sensors

Multi 3510 IDS Simply Multi IDS



The Multi 3510 IDS is a perfect door opener for IDS multi-parameter measurement. The universal measurement input works with all WTW IDS pH, ORP, dissolved oxygen, conductivity and turbidity sensors, either by cable or by wireless modules.

- Sequential multi-parameter measurement
- Perfect for data collecting in the field: memory for 4,500 automatic and 500 manual records.
- Reliable and robust for mobile applications
- Easy to read backlit graphic display
- Case set • Future-proof prepared for wireless measurement

ROWE CODE IM0798 (Meter only)
IM0799 Set 1 with Sentix 940pH electrode • IM0803 Set 4 with FDO-925 sensor

Multi 3620 IDS

Simultaneous measurement of two parameters



The Multi 3620 IDS with two universal measurement inputs works with all WTW IDS pH, ORP, dissolved oxygen sensors, conductivity cells and turbidity sensors, whether connected via cable or wireless module.

- Secure results by two galvanically isolated universal sensor inputs
- Simultaneous reading of up to two parameters (which may be the same) with fatigue-proof brilliant colour display
- Easy to operate with well-laid out menu structure
- Case set • Future-proof prepared for wireless measurement

ROWE CODE IM0804 (Meter only)
IM0299 Set C, with Sentix 940pH electrode and Tetracon 924 conductivity cell

Multi 3630 IDS

The allrounder for pH/ORP, conductivity, dissolved oxygen and turbidity



The Multi 3630 not only measures up to three parameter simultaneously, either by cable or wirelessly, but also works together with the depth sonde MPP IDS

- Secure results by three galvanically isolated universal sensor inputs
- Simultaneous reading of up to three parameters (which may be the same) with fatigue-proof brilliant colour display
- Easy to operate with well-laid out menu structure
- Case set • Future-proof prepared for wireless measurement

ROWE CODE IM0229 (Meter only)
IM0807 Set F, with 3 electrodes (pH, DO and conductivity), 1.5m cables
IM0808 Set G, with 3 electrodes (pH, DO and conductivity), 3m cables

MultiLab® Pro 20 IDS Multiparameter measurement redefined

GxP-compliant multiparameter device for measurement of 2 parameters simultaneously



- Meter GLP/GMP compliant
- Simultaneous display of two measuring channels
- Measures pH, ORP, conductivity, dissolved oxygen, ISE and/or turbidity
- Analogue, digital or wireless • Includes meter, stand, and power supply

ROWE CODE IM1362 (Meter only) (4 channel IM1365 also available)

NEW Workplace Exposure Standards

come into effect **DECEMBER 1st** with **many new additions** including **Flour Dust, Diesel Particulate, PVC, Peracetic Acid** and more.

Check the **Changes to Workplace Exposure Limits** here to see which changes affect you.

Introducing Dustlight

Real-time dust exposure visibility, backed by expert support

Understand workplace dust exposure trends with greater operational visibility.

The Dustlight personal dust monitor measures respirable dust, including PM1, PM2.5 and PM10, helping organisations improve awareness of workplace dust exposure through real-time monitoring and cloud-based reporting visibility.

Designed for operational environments where dust exposure can vary throughout the day, Dustlight provides immediate exposure insights that help safety teams identify trends, high-exposure tasks, and changing workplace conditions.

Key Features of Dustlight

- ✓ Captures particles with an aerodynamic diameter of less than 4µm
- ✓ Monitors PM1, PM2, and PM10 particle matter
- ✓ Colour-coded alerts for quick response - simple green, amber, red system
- ✓ Easy viewing of current dust concentrations
- ✓ Attaches easily to belts and clothing weighing less than 150g
- ✓ Long Battery Life - up to 40 hours in eco mode
- ✓ Shock-resistant, ideal for tough environments

ROWE CODE NP0127

Note: Business and Enterprise software licenses with additional features are available.







Dräger

Keeping you safe with respiratory protective equipment

Dräger Pac 6500 Series - Single Gas Detectors

- Non-disposable single gas detectors for personal air monitoring
- Detect carbon monoxide, oxygen, hydrogen sulfide or sulfur dioxide

PAC 6500 SERIES - SINGLE GAS DETECTOR	ROWE CODE
Oxygen	NG0203
Hydrogen Sulfide	NG0204
Carbon Monoxide	NG0205
Sulfur Dioxide	NG0206



Dräger Pac 8000 Series - Single Gas Detectors

- Non-disposable single gas detectors for personal air monitoring
- detects 29 different gases including special gases like NO_2, O_3, or $COCl_2$
- Robust design, tolerating extreme conditions

PAC 8000 SERIES - SINGLE GAS DETECTOR	ROWE CODE
Phosphine	NG0237
Nitric Oxide	NG0248
Carbon Dioxide	NG0249
Chlorine	NG0250
Hydrogen Cyanide	NG0251
Ammonia	NG0252
Nitrous Oxide	NG0253
Ozone	NG0254
Chlorine	NM0023
Organic Vapour (Select calibrated gas prior to purchase)	IG0261





When safe breathing becomes a challenge, reliable respiratory protection is essential to prevent occupational illness and injury. Draeger's respiratory devices combine proven technology with user comfort, ensuring you stay safe no matter the situation.

RESPIRATORY PROTECTION	SIZE	ROWE CODE
TWIN FILTER HALF FACE MASK		
X-PLORE 3300 - Comfortable wearing for long lasting protection, advanced headstrap design allows for use under a helmet, requires 1 pair X-plore bayonet filters	S	NX0003
	M	NX0002
	L	NM0011
X-PLORE 3500 - Comfortable wearing for long lasting protection, advanced headstrap design allows for use under a helmet, hypoallergenic, requires 1 pair X-plore bayonet filters ***PREMIUM***	S	NM0032
	M	NM0022
	L	NM0033
X-PLORE 5500 - Full face mask (mask only), requires bayonet filters (pair), low fogging, 6-point harness		NR0016
BAYONET FILTERS - UNIVERSAL FIT, FOR USE WITH X-PLORE 3300/3500/5500		
PURE P3 R PARTICLE FILTER	10 Pairs	NF0007
A1B1E1K1 Hg P3 R D COMBINATION FILTER - Respirator cartridge/filter	Pair	NR0011
A2B2E2K2 Hg P3 R D COMBINATION FILTER - Respirator cartridge/filter	Pair	NF0021



X-PLORE 3300 / 3500



X-PLORE 5500

Dräger X-Plore 8300 - Powered Air Purifying Respirators

- Lightweight PAPR for particulate hazards
- Outstanding ergonomics without breathing resistance
- Versatile components for easy customisation
- Intuitive design, optimised for easy cleaning
- With optional covers, device is IP67 rated for decontamination washing
- Smallest and lightest PAPR on the market



ROWE CODE NP0122

Note: Blower unit only

Dräger X-Plore 8300 PAPR Mask Respirator

Premium kit with long hood and hose

ROWE CODE NP0123





Dräger X-Plore 8500 PAPR Mask Respirator

Premium kit with long hood and hose, size L/XL

ROWE CODE ND0025

REDUCE YOUR EXPOSURE TO SOLVENTS

SCAT SAFETY CAPS



If you use solvents in your workplace, SCAT provides the tools to assist you in controlling your exposure, whilst maintaining the integrity of your analysis. The range extends from HPLC solvent delivery and resultant waste collection, to safety funnels - all with air valves (carbon filled) to reduce fugitive emissions.

The Safety Standard for HPLC

Safety Caps stop solvent vapours from escaping and keep your eluents clean. They protect your health, the environment and the quality of your analysis. The mixing ratio of your solvents remains stable, as there is no evaporation.

GL45 is the most common thread, however other sizes are also available.



SAFETY CAP III FOR HPLC SOLVENT SUPPLY • 3 X CAPILLARY CONNECTIONS • GL 45 THREAD • PTFE	**AIR VALVE***	**SIZE FITTING*** for capillary connection	**BLIND PLUG***	**ROWE CODE**
SINGLE SAFETY CAP	1	3 x each colour (9)	2	NS0036
4 CAP STARTER KIT	4	4 x 3 x each colour (36)	8	NS0037

*(UNF1/4" 28G thread)



AIR VALVES FOR SAFETY CAPS		**ROWE CODE**
• UNF 1/4" 28G thread • Service life indicator • PTFE filter	1 per pack	NA0053
	10 per pack	NA0054
	100 per pack	NA0055

ACCESSORIES INCLUDED!
Fittings and blind plugs in every size are included in the scope of delivery.
ID: 1.6mm, 2.3mm, 3.2mm

FOR TRACE LEVEL ANALYSIS OF **PFAS**

A different supply system manufactured from polyetheretherketone (PEEK) is required.



SAFETY CAP III PFAS FOR HPLC SOLVENT SUPPLY • 3 X CAPILLARY CONNECTIONS • GL 45 THREAD • GREEN PEEK	**AIR VALVE***	**SIZE FITTING*** for capillary connection	**BLIND PLUG***	**ROWE CODE**
SINGLE SAFETY CAP	1	3 x each colour (9)	2	NS0038
4 CAP STARTER KIT	4	4 x 3 x each colour (36)	8	NS0039

*(UNF1/4" 28G thread)



PFAS AIR VALVES FOR SAFETY CAPS		**ROWE CODE**
• PFAS Analytic • Service life indicator • Green PEEK • UNF 1/4" 28G	1 per pack	NA0056
	10 per pack	NA0057

To safely trap solvent residues, and protect you from harmful vapours, choose the MARCO safety funnel. The hinged lid and integrated safety seal stops harmful vapours from escaping. The removable sieve captures large particles and stirring bugs. Made of HDPE, the Marco Safety Funnel will give you years of use.

MARCO SAFETY FUNNEL	BOTTOM THREAD	ROWE CODE
• 140mm funnel diameter • Hinged lid & removable sieve (HDPE)	GL38	PS0631
	GL45	PF0174
	S58x4	NS0031
	S60/61	PF0176
Funnel to fit Safety Waste Cap "LISA"	M 30x35	NS0043



ROWE CODE
PF0174



Safe Closure

- Comfortable handling: easy, quick opening and closing with "click"-closure

Hinged Lid with Sealing Ring

- For secure closure, when the funnel is not in use

Stable Hinge

- A double-screw hinge, constructed of rust-free stainless steel: for long life and stability



Dirt Sieve

- For collecting stirring magnets or large dirt particles. Laboratory bottles can also be placed here to dry off. The hole size has been optimised in order to improve the run-off of chemicals. **Both sieve and splash protection can be removed for cleaning.**



Fine Mesh Sieve

- Supplied with plastic coarse mesh (Fine mesh stainless steel optional)

Various Screw-Threads

- Suitable for different sizes of collecting container

PURCHASE THE MARCO SAFETY FUNNEL PF0176 & ADAPTOR PA0082

(to fit Australian 10 and 20L plastic drums (cubes))

ONLY 6 $195 AVAILABLE

SCAT SAFETY WASTE CAPS

Having secured the integrity of your analysis, what do you do with the waste?
These waste mixtures are highly hazardous to your health.

CALL US TO SECURE YOUR SAFETY.

If you are collecting into a bottle, or into a jerry can, we have a waste cap to suit your needs.

SAFETY WASTE CAP FOR HPLC SOLVENTS	ROWE CODE
GL45 connection, 2 x capillary, 1 x tubing (scat)*	NS0040
S60/61 connection, 2 x capillaries, 1 x tubing, mechanical level indicator*	NS0041
S60/61 connection, 2 x capillaries, 1 x tubing, electronic level indicator*	NS0042



ROWE CODE
NS0040

If you need to collect waste from additional sources, choose the Safety Waste Cap "Lisa", which allows for the addition of a "Marco" Safety Funnel.

SAFETY WASTE CAP "LISA" FOR HPLC SOLVENTS	ROWE CODE
GL45 connection, 4 x capillary fittings (each 3 sizes), 3 x tubing, all blind plugs*	NS0045
S58x4 connection, 4 x capillary fittings (each 3 sizes), 2 x tubing, all blind plugs *	NS0052



ROWE CODE
NS0052

SAFETY FUNNEL "MARCO" FOR LISA SAFETY CAP	ROWE CODE
M 30x35 thread (bottom) with hinged lid (140mm ID) and removable sieve, HDPE	NS0043



ROWE CODE
NS0043

THREAD ADAPTORS FOR DIFFERENT CONTAINERS	ROWE CODE
*GL45 (male) to GL38 (female), polypropylene. To connect to some 5L "Jerry Cans" - check thread	PA0079
*S60/61 (male) to S58x4 (female), polypropylene. To connect to Australian 10 and 20L "Plastic Drums"	PA0082



SCAT EXHAUST FILTERS

The efficacy of all of these systems is based on the safe filtering/binding of vapour/gases vented back into the laboratory (your breathing space). SCAT have extensively developed their exhaust filter to minimise your exposure.
To satisfy the various waste compositions, temperature and flow rates, SCAT have developed their exhaust filter in 3 sizes.

EXHAUST FILTER FOR SAFE VENTING OF HPLC WASTE GASES	ROWE CODE
With change indicator small - 3 month life (each)	NE0017
With change indicator medium - 6 month life (each)	NE0018
With change indicator medium - 6 month life (2 pack)	NE0019
With change indicator large - 12 month life (each)	NE0020
With change indicator large - 12 month life (2 pack)	NE0021



LOW ENERGY ULT FREEZER-LED DISPLAY

-86°C • J Series

728L - Upright ROWE CODE IF0356
490L - Upright ROWE CODE IF0354
388L - Upright ROWE CODE IF0353



Haier

-25°C Biomedical Freezer

262L - Upright, manual defrost, 7 drawers
ROWE CODE IF0423



-60°C to -86°C • ULT U35

37L - Upright ROWE CODE IF0619



NORDIC LAB

ViscoQC ROTATIONAL VISCOMETERS

The ViscoQC is an easy-to-use viscometer that provides convenient operation for the most reliable and traceable viscosity results in your day-to-day work. ViscoQC rotational viscometers ensure the quality of your substance - from liquid to semi-solid.

Eliminate the risk of measurement errors and free up your time and budget with the simplest spindle exchange mechanism, automatic spindle detection, automatic speed searching function for new formulations, and more. Your existing SOPs can be easily converted if the same setup and settings are used.

*It's time to **switch to an easier way.** It's time to **switch to ViscoQC.***

ViscoQC 100 L (Single Point)

ROWE CODE IV0239

- Single-point measurements on 3.5" colour display
- Viscosity range from 0.2 mPa·s to 6,000,000 mPa·s
- 4 L spindles to measure low-viscosity samples (e.g. solvents, oils, and more)

ViscoQC 300 L (Multi Point)

ROWE CODE IV0243

- Multi-point measurements on 7" colour touchscreen
- Viscosity range from 0.1 mPa·s to 6,000,000 mPa·s
- 4 L spindles to measure low-viscosity samples

Anton Paar



ROWE CODE IV0243

ROWE CODE IV0239

Cole-Parmer® Traceable®

- Bullet, Bottle or Stainless Steel
- 1 probe or 2
- Fridge, Freezer or ULT Freezer
- Alarming, Data Logging, WiFi Enabled

We'll Keep Your Samples Safe

All traceable thermometers supplied with an ISO 17025 compliant certificate



Traceable Refrigerator/Freezer Plus Digital Thermometer with 1 Glass Bottle Probe, -50°C to 70°C **ROWE CODE RT0084**



Traceable Ultra Calibrated Refrigerator/Freezer Digital Thermometer with 2 Bullet Probes, -50°C to 70°C **ROWE CODE RT0081**



Traceable Excursion-Trac® Data Logging Refrigerator/Freezer Digital Thermometer with 1 Glass Bottle Probe, -50°C to 70°C **ROWE CODE RT0082**



Traceable Excursion-Trac® Data Logging Refrigerator/Freezer Digital Thermometer with 2 Bullet Probes, -50°C to 70°C **ROWE CODE RT0083**



Traceable High-Accuracy Ultra-Low Freezer Digital RTD Thermometer with 1 Stainless Steel Probe (records hourly reading for previous 7days) -100°C to 200°C **ROWE CODE RT0085**



Traceable High-Accuracy Ultra-Low Freezer Digital RTD Thermometer with 1 Bullet Probe (records hourly reading for previous 7days) -100°C to 70°C **ROWE CODE RT0086**

GLR ALCOHOL WIPES

GLR wipes are ideal for cleaning laboratory equipment, medical equipment, benchtops and office equipment. Containing 70% Isopropyl alcohol. 75 wipes per canister.

ROWE CODE HW0028

BUY 12 AT
$9.79 EA
WAS $11.33





Why not order online at your convenience 24/7 through the Rowe Scientific Web Store with its easy to use features?

Rowe Scientific Pty Ltd are a 100% Australian owned company which have been supplying laboratories across Australia since 1987 with scientific equipment, consumables and chemicals. You have the option of online ordering at your convenience 24 /7 through a secure login account we create for you.

Once you have a Rowe Scientific Pty Ltd account, simply go to www.rowe.com.au log-in and then you can:



- Order online with your secure login.
- See special pricing and availability.
- Order when it's convenient for you 24/7.
- See your online order history and back orders.
- Shop from over 117,000 product lines and leading brands.

To obtain a Rowe Scientific login, go to www.rowe.com.au and click the register tab then follow the prompts.

To view our webstore as a guest go to **www.rowe.com.au** and explore the products tab.

To see our current special offers on our webstore, go to www.rowe.com.au and explore the specials tab.

Or to find out more about us including scholarships and news events, go to www.rowe.com.au and explore the news tab.

chemicals glassware filtration CRM plasticware pipettors instruments

BRAND
Techno Plas
Kartell LABWARE
S·C·A·T
CHARM SCIENCES INC
Ajax Finechem
SP Bel-Art
BIOFIL®
chem-supply
Kimble
A WORLD OF EXPERTISE IN YOUR HANDS
cryokit®
MN
MACHEREY-NAGEL
MERCK
METTLER TOLEDO
Miele
OHAUS
TPS
Tarsons
SIMAX
Dräger
Haier
SPL
SPL LIFE SCIENCES
Gilian
cowie
velp

For all the laboratory supply needs that you envision.



ROWE SCIENTIFIC PTY LTD www.rowe.com.au

Online, by phone or face to face, we give you the choice.

INSTRUMENTS - CONSUMABLES - CHEMICALS - SERVICE & REPAIRS

A 100% Australian owned company, supplying scientific laboratories since 1987.

Discover more at: **www.rowe.com.au**

South Australia & NT
Ph: (08) 8186 0523
rowesa@rowe.com.au

Queensland
Ph: (07) 3376 9411
roweqld@rowe.com.au

Victoria & Tasmania
Ph: (03) 9701 7077
rowevic@rowe.com.au

New South Wales
Ph: (02) 9603 1205
rowensw@rowe.com.au

Western Australia
Ph: (08) 9302 1911
rowewa@rowe.com.au

Certified System
Quality Endorsed Company
ISO 9001
LIC. 10372
SAI Global

REF: 828_Prices do not include GST. Specifications, details and descriptions may change without notice. Pictures are for illustrative purposes only. Discounts do not apply to service, freight or repairs. Discount does not apply to existing discounted pricing. Special pricing only while stocks last. X:\MARKETING\\ Lablikes\Lablikes25\828-Lablikes_Issue 25_Nov-26.indd